

2013

An Explicit Bijection Between Semistandard Tableaux and Non-Elliptic sl_3 Webs

Heather M. Russell

University of Richmond, hrussell@richmond.eduFollow this and additional works at: <http://scholarship.richmond.edu/mathcs-faculty-publications> Part of the [Algebra Commons](#)**This is a pre-publication author manuscript of the final, published article.**

Recommended Citation

Russell, Heather M., "An Explicit Bijection Between Semistandard Tableaux and Non-Elliptic sl_3 Webs" (2013). *Math and Computer Science Faculty Publications*. 127.<http://scholarship.richmond.edu/mathcs-faculty-publications/127>

This Post-print Article is brought to you for free and open access by the Math and Computer Science at UR Scholarship Repository. It has been accepted for inclusion in Math and Computer Science Faculty Publications by an authorized administrator of UR Scholarship Repository. For more information, please contact scholarshiprepository@richmond.edu.

AN EXPLICIT BIJECTION BETWEEN SEMISTANDARD TABLEAUX AND NON-ELLIPTIC sl_3 WEBS

HEATHER M. RUSSELL

ABSTRACT. The sl_3 spider is a diagrammatic category used to study the representation theory of the quantum group $U_q(sl_3)$. The morphisms in this category are generated by a basis of non-elliptic webs. Khovanov-Kuperberg observed that non-elliptic webs are indexed by semistandard Young tableaux. They establish this bijection via a recursive growth algorithm. Recently, Tymoczko gave a simple version of this bijection in the case that the tableaux are standard and used it to study rotation and joins of webs. We build on Tymoczko's bijection to give a simple and explicit algorithm for constructing all non-elliptic sl_3 webs.

1. INTRODUCTION

The sl_3 spider, introduced by Kuperberg [10] and subsequently studied by many others [8, 9, 11, 12], is a diagrammatic, braided monoidal category encoding the representation theory of $U_q(sl_3)$. The objects in this category, called sign strings, are finite words in the alphabet $\{+, -\}$ including the empty word. The morphisms are $\mathbb{Z}[q, q^{-1}]$ -linear combinations of certain graphs called webs. See Figure 1 for an example of a web.

The objects in the spider can be thought of as tensor products of the two dual 3-dimensional irreducible representations V^+ and V^- of $U_q(sl_3)$, and the morphisms can be thought of as intertwining maps between tensor products of these representations [10]. Spider categories for other Lie types have been defined. See for instance [2, 11, 12].




FIGURE 1. A web in $\text{Hom}(++++, +)$.

Webs in the sl_3 spider are oriented trivalent graphs drawn in a rectangular region with boundary points lying on the top and bottom edges of that region. Edges incident on the boundary points have orientations compatible with the source and target sign strings. We read webs from bottom to top. All vertices are either sources or sinks. Webs are also subject to Relations 1, 2, and 3 below which are often referred to as the circle, bigon, and square relations respectively. A web with no bigons, squares, or circles is called non-elliptic or irreducible. Every web is a linear combination of non-elliptic webs. We follow the normalization conventions found in Khovanov's work on sl_3 link homology [7].

$$(1) \quad \begin{array}{c} \circlearrowleft \\ \circlearrowright \end{array} = [3]_q = q^2 + 1 + q^{-2}$$

$$(2) \quad \begin{array}{c} \downarrow \\ \circlearrowleft \\ \uparrow \end{array} = [2]_q \left\{ \begin{array}{c} | \\ | \\ | \end{array} \right\} = (q + q^{-1}) \left\{ \begin{array}{c} | \\ | \\ | \end{array} \right\}$$

$$(3) \quad \begin{array}{c} \swarrow \quad \searrow \\ \nearrow \quad \nwarrow \\ \swarrow \quad \searrow \\ \nearrow \quad \nwarrow \end{array} = \left(\begin{array}{c} \swarrow \\ \searrow \end{array} \right) + \left(\begin{array}{c} \nwarrow \\ \swarrow \end{array} \right)$$

Given a sign string s , construct the dual string s^* of s by reversing the order of s and then replacing each $+$ with a $-$ and each $-$ with a $+$. This is really just a diagrammatic version of the statement that, for quantum group representations, $(V \otimes W)^* \cong W^* \otimes V^*$. Let $\text{Inv}(V)$ be the space of invariant tensors of V where V is a tensor product of irreducible representations of $U_q(\mathfrak{sl}_3)$. Since $\text{Hom}(V, W) \cong \text{Inv}(V^*, W)$, it is enough to study \mathfrak{sl}_3 webs of the form $\text{Hom}(s, \emptyset)$.

Let $s = s_1 \dots s_n$ be a sign string. The dimension of $\text{Inv}(V^{s_1} \otimes \dots \otimes V^{s_n})$ is the number of lattice paths in the dominant Weyl chamber from the origin to itself satisfying some additional condition coming from the string [8]. These dominant lattice paths for s correspond to certain words in the alphabet $\{-1, 0, +1\}$. Khovanov-Kuperberg give a recursive growth algorithm which produces a non-elliptic web from a given lattice path word. This growth algorithm establishes a bijection between dominant lattice paths and webs with inverse coming from a depth map on webs [8].

Recall that a semistandard Young tableau is a filling of a Young diagram which strictly increases in columns and weakly increases in rows. The dimension of the invariant tensor space is reformulated by Petersen-Pilyavskyy-Rhoades using the language of semistandard tableaux [13].

Proposition 1. *Let s be a sign string of length $3n$ with k minuses and $3n - k$ pluses. The number of non-elliptic webs in $\text{Hom}(s, \emptyset)$ is equal to the number of semistandard tableaux of shape $(3, 3, \dots, 3, 3) \vdash 3n$ filled with $\{1^2, \dots, k^2, k + 1, \dots, 3n - k\}$.*

Tymoczko recently gave an explicit bijection between webs in $\text{Hom}(++++\dots++++, \emptyset)$ and standard tableaux [20]. This is accomplished by constructing an intermediate object called an m -diagram which can then be modified slightly to produce a non-elliptic web. Tymoczko shows that this straightforward procedure provides a concrete realization of the growth algorithm bijection of Khovanov-Kuperberg.

Building on the m -diagram algorithm, this paper provides a simple bijection between all non-elliptic webs and a certain subset of semistandard Young tableaux. We begin by recalling Tymoczko's m -diagram algorithm and then describe the generalized bijection providing many examples. We conclude with two theorems about rotation and join of webs that generalize results of Petersen-Pilyavskyy-Rhoades and Tymoczko to all \mathfrak{sl}_3 webs [13, 20].

An interesting potential application of this bijection is in the study of Spaltenstein varieties. Combinatorial data from \mathfrak{sl}_2 webs has been used to describe the representation theory and topological structure of Springer varieties, certain flag varieties used to construct irreducible representations of the symmetric group [3, 4, 6, 15, 14, 16, 19]. Spaltenstein varieties are a generalization of Springer varieties using partial flags.

Just as the components of Springer varieties are indexed by standard tableaux, the components of Spaltenstein varieties are indexed by semistandard tableaux. Recent work of Brundan-Ostrik and Schäfer show strong evidence that the combinatorics of the more general class of webs studied here should aid in the study of three-row Spaltenstein varieties [1, 18].

Acknowledgements. We are very grateful to Julianna Tymoczko for suggesting this project and for many enlightening conversations. Thanks also to Matt Housley for helpful discussions about τ sets. We also wanted to acknowledge Dongho Moon who has recently obtained similar results.

2. TYMOCZKO'S M-DIAGRAM ALGORITHM

Let $n \in \mathbb{N}$ and consider the partition $(n, n, n) \vdash 3n$. Let T be a standard tableau of shape (n, n, n) . The bijection in this section is between tableaux T and webs with $3n$ source vertices. Note that the number of standard fillings of shape (n, n, n) is the same as the number of standard fillings of the shape $(3, 3, \dots, 3, 3)$, so this can also be thought of as a bijection with tableaux of that shape.

Given a tableau T , the Tymoczko m -diagram algorithm constructs the m -diagram m_T as follows [20].

- Draw a horizontal line with $3n$ equally spaced dots labeled from left to right with the numbers $1, \dots, 3n$. This line forms the lower boundary for the diagram, and all arcs will lie above this line.
- Starting with the smallest number j on the second row, draw a semi-circular arc connecting j to its nearest unoccupied neighbor i to the left. The arcs (i, j) are the left arcs in the m -diagram.
- Starting with the smallest number k on the bottom row, draw a semi-circular arc connecting k to its nearest neighbor j to the left that does not already have an arc coming to it from the left. The arcs (j, k) are the right arcs of the m -diagram.

The collection of left arcs is nonintersecting as is the collection of right arcs, but left arcs can intersect right arcs. Figure 2 has an example of an m -diagram.




FIGURE 2. The m -diagram for a tableau.

From an m -diagram m_T for T there is a straightforward procedure for transforming m_T into a non-elliptic web w_T [20].

- At each boundary vertex where two semi-circular arcs meet, replace the portion of the diagram in a small neighborhood of the vertex with a ‘Y’ shape as shown in Figure 3.
- Orient all arcs away from the boundary so that the branching point of each ‘Y’ becomes a source.
- Finally replace any 4-valent intersection point of a left arc and a right arc with a pair of trivalent vertices as shown in Figure 4. There is a unique way to do this preserving orientation of incoming arcs.




FIGURE 3. Modifying the middle vertex of an m .

For each face of a web w , define its depth to be the minimal number of times a path from the given face to the unbounded region must intersect w . An example is shown in Figure 5. Depths of adjacent faces differ by at most one.




FIGURE 4. Replacing a 4-valent vertex with trivalent vertices.




FIGURE 5. The depth map for a web

Let $F_{i,L}$ be the face immediately to the left of the edge incident on boundary vertex i , and let $F_{i,R}$ be the face immediately to the right of the edge incident on i . The following algorithm constructs a standard tableau T_w from a non-elliptic web w with boundary $3n$ sources. In fact this process is inverse to Tymoczko's web bijection in the sense that $T_{w_T} = T$ [20].

- If the depth of $F_{i,L}$ is less than the depth of $F_{i,R}$, put i in the top row of T_w .
- If the depths of $F_{i,L}$ and $F_{i,R}$ are the same, put i in the middle row of T_w .
- If the depth of $F_{i,L}$ is greater than the depth of $F_{i,R}$, put i in the bottom row of T_w .

Let $\tau(T)$ be the set of all pairs $(i, i + 1)$ such that i occurs in a row above $i + 1$ in T . The terminology of τ comes from the work of Vogán on primitive spectra of semi simple Lie algebras [21]. The τ set is also often called the descent set of a tableau. Lemma 1 appears in an upcoming paper of the author with Housley and Tymoczko where we study the symmetric group action on sl_3 webs with $3n$ sources [5]. It is the key idea in establishing a bijection between semistandard tableaux and webs.

Lemma 1. *Given a standard tableau T and its associated web w_T , if $(i, i + 1) \in \tau(T)$ then boundary vertices i and $i + 1$ are connected to the same internal vertex in w_T .*

Proof. Say $(i, i + 1) \in \tau(T)$. Since T has three rows, there are three possibilities:

- (1) i is in the top row, and $i + 1$ is in the middle row.
- (2) i is in the middle row, and $i + 1$ is in the bottom row.
- (3) i is in the top row, and $i + 1$ is in the bottom row.

In the first case, the boundary vertices i and $i + 1$ must be connected by the left arc of an m . If this were not the case, then the m -diagram for w_T would have two left arcs crossing, which cannot happen. Since i and $i + 1$ are adjacent and connected by the arc of an m , they will be connected to the same internal vertex in w_T .

The second case is completely analogous to the first except that i and $i + 1$ are connected by the right arc of an m . This once again means that they connect to the same internal vertex in w_T .

In the third case i is at the far left of an m , and $i + 1$ is at the far right of an m . Since there are no external vertices between them, they must cross exactly in the manner shown in Figure 6. This means that in w_T , vertices i and $i + 1$ will connect to the same internal vertex.

□

3. A BIJECTION BETWEEN SEMISTANDARD TABLEAUX AND WEBS

Given a semistandard tableau T , the content λ of T is the composition where λ_i is the number of occurrences of i in T . Given a sign string $s = s_1 \cdots s_n$ with k minuses define the content of s to be the




FIGURE 6. Case 3: Vertices i and $i + 1$ in the m -diagram and web.

composition $\lambda_s = (\lambda_{s,1}, \dots, \lambda_{s,3n-k})$ where

$$\lambda_{s,i} = \begin{cases} 1 & \text{if } s_i = +, \\ 2 & \text{if } s_i = -. \end{cases}$$

This section studies semistandard fillings of $(3, \dots, 3) \vdash 3n$ of content λ_s which we will refer to as fillings of content s . For example, the first tableau in Figure 7 has content $s = - - + + + +$. Note that the number of fillings of content s depends only on the number of pluses and minuses and not on the order in which these symbols appear.

The bijection described in this section works for all sign strings. For ease of notation, we provide explicit instructions for the case that $s = - \dots - + \dots +$. The general case is similar. An example is given at the end of Section 4.

Let $s = - \dots - + \dots +$ be a sign string consisting of k minuses followed by $3n - k$ pluses. Let T_s be a filling of $(3, \dots, 3) \vdash 3n$ of content s . From T_s , construct a standard tableau \widetilde{T}_s by replacing each repeated pair i, i with the numbers $2i - 1, 2i$ such that $2i - 1$ is to the left of $2i$; for $i > k$, replace i with $i + k$. Figure 7 has an example. For any tableau T , write T' for its conjugate.

$$T_s = \begin{array}{|c|c|c|} \hline 1 & 1 & 2 \\ \hline 2 & 3 & 5 \\ \hline 4 & 6 & 7 \\ \hline \end{array} \quad \longrightarrow \quad \widetilde{T}_s = \begin{array}{|c|c|c|} \hline 1 & 2 & 4 \\ \hline 3 & 5 & 7 \\ \hline 6 & 8 & 9 \\ \hline \end{array} \quad \longrightarrow \quad \widetilde{T}'_s = \begin{array}{|c|c|c|} \hline 1 & 3 & 6 \\ \hline 2 & 5 & 8 \\ \hline 4 & 7 & 9 \\ \hline \end{array}$$

FIGURE 7. Obtaining a standard from a semistandard and taking its conjugate.

Lemma 2. *Let T_s be a tableau of content s . Then $(2i - 1, 2i) \in \tau(\widetilde{T}'_s)$ for all $1 \leq i \leq k$.*

Proof. Since T_s is semistandard, the repeated pairs i, i can never be in the same column of T_s . To construct \widetilde{T}_s the leftmost instance of i is replaced with $2i - 1$, and the rightmost instance is replaced with $2i$. This means that $2i - 1$ will always lie in a row above $2i$ in the conjugate tableau \widetilde{T}'_s . \square

Let $w_{\widetilde{T}'_s}$ be the non-elliptic web constructed from \widetilde{T}'_s using the m -diagram algorithm in Section 2. Let w_{T_s} be the web formed by contracting the first $2k$ boundary edges of $w_{\widetilde{T}'_s}$ as shown in Figure 8.




FIGURE 8. Contracting boundary edges to produce a sink vertex.

Lemma 3. *The sign string associated to the boundary of w_{T_s} is s .*

Proof. Since the construction of w_{T_s} leaves the last $3n - k$ boundary vertices undisturbed, it is clear that they will be sources since they were sources in $w_{\widetilde{T}'_s}$. Since $(2i - 1, 2i) \in \tau(\widetilde{T}'_s)$ for all $1 \leq i \leq k$, vertices $2i - 1$ and $2i$ are connected to the same internal vertex. When we contract the boundary edges incident on

vertices $2i - 1$ and $2i$, the internal vertex they share becomes a new boundary vertex. This vertex is a sink. Thus, each pair of vertices $2i - 1, 2i$ is replaced with a single sink vertex, and the boundary of w_{T_s} consists of k sinks followed by $3n - k$ sources as desired. \square

Lemma 4. *The web w_{T_s} is non-elliptic.*

Proof. Any closed face of w_{T_s} is also a closed face of $w_{\widetilde{T}_s}$. Since $w_{\widetilde{T}_s}$ is non-elliptic, it follows that w_{T_s} is also non-elliptic. \square

Lemma 5. *Given two different fillings $T_{s,1}$ and $T_{s,2}$ of content s , the webs $w_{T_{s,1}}$ and $w_{T_{s,2}}$ are distinct.*

Proof. If $T_{s,1}$ and $T_{s,2}$ differ on some repeated number i where $1 \leq i \leq k$ then the standard tableaux $\widetilde{T}_{s,1}$ and $\widetilde{T}_{s,2}$ will have at least one of the pair $2i - 1, 2i$ in different positions. If $T_{s,1}$ and $T_{s,2}$ differ on some unrepeated number i where $k < i \leq 3n - k$ then the number $i + k$ will be in different positions in $\widetilde{T}_{s,1}$ and $\widetilde{T}_{s,2}$. In either case $\widetilde{T}_{s,1}$ and $\widetilde{T}_{s,2}$ are distinct.

Since $\widetilde{T}_{s,1}$ and $\widetilde{T}_{s,2}$ must be distinct, it follows that $w_{\widetilde{T}_{s,1}}$ and $w_{\widetilde{T}_{s,2}}$ are distinct webs with $3n$ sources. The portions of $w_{\widetilde{T}_{s,1}}$ and $w_{\widetilde{T}_{s,2}}$ that are contracted to form $w_{T_{s,1}}$ and $w_{T_{s,2}}$ are identical according to Lemma 1. Therefore $w_{\widetilde{T}_{s,1}}$ and $w_{\widetilde{T}_{s,2}}$ must differ away from the first $2k$ boundary edges which means that $w_{T_{s,1}}$ and $w_{T_{s,2}}$ must be distinct as well. \square

Theorem 1. *The map sending fillings T_s of content s to webs w_{T_s} with boundary s is a bijection.*

Proof. The previous lemmas show that this map sends distinct semistandard tableaux of content s to distinct webs with boundary s . Since these two sets are in bijection, it follows that this map gives a bijective correspondence. \square

Given a web w with boundary s , construct a tableau $T_{s,w}$ of content s as follows.

- If the depth of $F_{i,L}$ is less than the depth of $F_{i,R}$ put the pair i, i in the first and second column if vertex i of w is a sink and i in the first column if it is a source.
- If $F_{i,L}$ has the same depth as $F_{i,R}$ then put the pair i, i in the first and third column if i is a sink and i in the second column if it is a source.
- If the depth of $F_{i,L}$ is greater than $F_{i,R}$ then put the pair i, i in the second and third column if i is a sink and i in the third column if it is a source.

By construction this process is inverse to the algorithm given above for building a web from a semistandard tableau.

4. EXAMPLES

Consider the sign string $s = + + - + + - +$. The composition λ_s in this case is $\lambda_s = (1, 1, 2, 1, 1, 2, 1)$. Then the following tableau T_s which is a filling using the numbers $\{1, 2, 3^2, 4, 5, 6^2, 7\}$ is said to have content s . We construct the two standard tableaux \widetilde{T}_s and \widetilde{T}'_s using the natural generalization of the algorithm from the previous section. In particular, we replace the ordered set $\{1, 2, 3, 3, 4, 5, 6, 6, 7\}$ with the ordered set $\{1, 2, 3, 4, 5, 6, 7, 8, 9\}$ always placing the smaller number farthest left when replacing a repeated pair.

$$T_s = \begin{array}{|c|c|c|} \hline 1 & 3 & 4 \\ \hline 2 & 5 & 6 \\ \hline 3 & 6 & 7 \\ \hline \end{array} \quad \longrightarrow \quad \widetilde{T}_s = \begin{array}{|c|c|c|} \hline 1 & 4 & 5 \\ \hline 2 & 6 & 8 \\ \hline 3 & 7 & 9 \\ \hline \end{array} \quad \longrightarrow \quad \widetilde{T}'_s = \begin{array}{|c|c|c|} \hline 1 & 2 & 3 \\ \hline 4 & 6 & 7 \\ \hline 5 & 8 & 9 \\ \hline \end{array}$$




FIGURE 9. The m -diagram and web corresponding to \widetilde{T}_s' .




FIGURE 10. The web of content s corresponding to T_s .

From the tableau \widetilde{T}_s' we get the m -diagram and the web shown in Figure 9. After contracting the edges incident on vertices 3, 4, 7, and 8 we get the web with boundary s shown in Figure 10.

We conclude this section with some additional examples. Figures 11,12, and 13 construct all webs corresponding to the sign strings $---$, $--++$, and $-++++$ respectively.

T_s	\widetilde{T}_s	\widetilde{T}_s'	m -diagram	$w_{\widetilde{T}_s'}$	w_{T_s}																		
<table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>1</td><td>1</td><td>2</td></tr> <tr><td>2</td><td>3</td><td>3</td></tr> </table>	1	1	2	2	3	3	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>1</td><td>2</td><td>4</td></tr> <tr><td>3</td><td>5</td><td>6</td></tr> </table>	1	2	4	3	5	6	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>1</td><td>3</td></tr> <tr><td>2</td><td>5</td></tr> <tr><td>4</td><td>6</td></tr> </table>	1	3	2	5	4	6			
1	1	2																					
2	3	3																					
1	2	4																					
3	5	6																					
1	3																						
2	5																						
4	6																						

FIGURE 11. Constructing the bijection for sign string $s = ---$.

5. APPLICATIONS: ROTATION AND JOIN OF WEBS

When the sign string of a web is all pluses and the corresponding tableau is standard, Petersen-Pylyavskyy-Rhoades prove that rotation of webs corresponds to jeu-de-taquin promotion [13]. Tymoczko uses the m -diagram algorithm to give a simplified proof of this fact [20]. There is also a notion of the join of two webs. Tymoczko proves that join can be understood as another move on standard tableaux called a shuffle [20]. In this section, we prove that jeu-de-taquin promotion and shuffle of semistandard tableaux correspond to rotation and join of all non-elliptic sl_3 webs.

5.1. Rotation and jeu-de-taquin promotion. Jeu-de-taquin promotion is a process on semistandard Young tableaux whereby a box (or subset of boxes) is removed, and the tableau is rearranged to form a new filling of the same shape. Figure 14 has an example. Say that T is a semistandard tableaux filled with at least one of each of the numbers $1, \dots, \ell$. Jeu-de-taquin promotion on T produces a new tableau $jdt(T)$ as follows.

T_s	\widetilde{T}_s	\widetilde{T}'_s	m -diagram	$w_{\widetilde{T}'_s}$	w_{T_s}
$\begin{array}{ c c c } \hline 1 & 1 & 2 \\ \hline 2 & 3 & 4 \\ \hline \end{array}$	$\begin{array}{ c c c } \hline 1 & 2 & 4 \\ \hline 3 & 5 & 6 \\ \hline \end{array}$	$\begin{array}{ c c } \hline 1 & 3 \\ \hline 2 & 5 \\ \hline 4 & 6 \\ \hline \end{array}$			
$\begin{array}{ c c c } \hline 1 & 1 & 3 \\ \hline 2 & 2 & 4 \\ \hline \end{array}$	$\begin{array}{ c c c } \hline 1 & 2 & 5 \\ \hline 3 & 4 & 6 \\ \hline \end{array}$	$\begin{array}{ c c } \hline 1 & 3 \\ \hline 2 & 4 \\ \hline 5 & 6 \\ \hline \end{array}$			

FIGURE 12. Constructing the bijection for sign string $s = - - + +$.

T_s	\widetilde{T}_s	\widetilde{T}'_s	m -diagram	$w_{\widetilde{T}'_s}$	w_{T_s}
$\begin{array}{ c c c } \hline 1 & 1 & 2 \\ \hline 3 & 4 & 5 \\ \hline \end{array}$	$\begin{array}{ c c c } \hline 1 & 2 & 3 \\ \hline 4 & 5 & 6 \\ \hline \end{array}$	$\begin{array}{ c c } \hline 1 & 4 \\ \hline 2 & 5 \\ \hline 3 & 6 \\ \hline \end{array}$			
$\begin{array}{ c c c } \hline 1 & 1 & 4 \\ \hline 2 & 3 & 5 \\ \hline \end{array}$	$\begin{array}{ c c c } \hline 1 & 2 & 5 \\ \hline 3 & 4 & 6 \\ \hline \end{array}$	$\begin{array}{ c c } \hline 1 & 3 \\ \hline 2 & 4 \\ \hline 5 & 6 \\ \hline \end{array}$			
$\begin{array}{ c c c } \hline 1 & 1 & 3 \\ \hline 2 & 4 & 5 \\ \hline \end{array}$	$\begin{array}{ c c c } \hline 1 & 2 & 4 \\ \hline 3 & 5 & 6 \\ \hline \end{array}$	$\begin{array}{ c c } \hline 1 & 3 \\ \hline 2 & 5 \\ \hline 4 & 6 \\ \hline \end{array}$			

FIGURE 13. Constructing the bijection for sign string $s = - + + + +$.

- (1) Begin by removing the entry 1 from the top left corner of T .
- (2) Say that a is below and b is to the right of the removed box. If $a \leq b$, slide a upwards into the empty position. Otherwise, slide b left into the empty position.
- (3) Continue this process until the empty box has no entries to its right or below.
- (4) If 1 appears multiple times in T , repeat the first three steps until all 1's have been erased.
- (5) Decrement all entries by 1, and replace each empty box with ℓ .

A proof of the following Lemma can be found in Sagan's book [17].

Lemma 6. *The jeu-de-taquin process described above is well-defined on semistandard tableaux.*




FIGURE 14. Promotion on a semistandard tableau.

Lemma 7. *Let T_s be a semistandard tableau of content $s = s_1 \cdots s_n$. Then $\widetilde{jdt}(T_s)' = jdt(\widetilde{T}_s)'$ if s_1 is a plus, and $\widetilde{jdt}(T_s)' = jdt(jdt(\widetilde{T}_s)')$ if s_1 is a minus.*

Proof. When the numbers below and to the right of an empty box are equal, jeu-de-taquin promotion chooses to move the box below into the empty position. Since we construct the standard tableau \widetilde{T}_s from T_s by replacing the leftmost instance of a repeated entry with a smaller number than the rightmost instance, it follows that $\widetilde{jdt}(T_s) = jdt(\widetilde{T}_s)$ when s_1 is a plus. If s_1 is a minus, then the numbers 1 and 2 must be promoted in the standard tableau to correspond to the promotion of a repeated entry of 1 in the semistandard tableau. Thus $\widetilde{jdt}(T_s) = jdt(jdt(\widetilde{T}_s)')$ in the case that s_2 is a minus. The lemma follows from the fact that jeu-de-taquin promotion commutes with the process of conjugation in standard tableaux. \square

We have been considering webs with boundary lying on a horizontal line, but webs are often also viewed in a disk with univalent vertices on the boundary circle [10, 13]. Boundary vertices are enumerated counter-clockwise with respect to some base point. To obtain a web with linear boundary, the circle bounding the disk is split open at the base point. The notion of web rotation is more natural when viewed from the disk perspective. Figure 15 has an example of rotation on a web with linear boundary.

Theorem 2. *Jeu-de-taquin promotion of semistandard tableaux corresponds to rotation of webs.*

Proof. Jeu-de-taquin promotion in standard tableaux corresponds to rotation of webs with boundary $3n$ sources. Since \widetilde{T}_s' is a standard tableau, the web $w_{jdt(\widetilde{T}_s)'}$ is a rotation of the web $w_{\widetilde{T}_s}'$. It follows from Lemma 7 that the web $w_{\widetilde{jdt}(T_s)'}$ is also a rotation of $w_{\widetilde{T}_s}'$. Therefore the web obtained by rotation of w_{T_s} is the same as the web $w_{jdt(T_s)}$. \square




FIGURE 15. Rotation of a web.

5.2. Join and shuffling. Tymoczko defines the notion of a shuffle of two standard tableaux and proves that the web associated to the shuffle is the join of the webs corresponding to those tableaux [20]. The join of two webs is the insertion of one into the other between some designated pair of vertices. The definition of shuffle has a natural extension to semistandard tableaux.

Let T be a semistandard tableau filled with at least one of each of the numbers $1, \dots, \ell_1$ and T' be a semistandard tableau filled with at least one of each of the numbers $1, \dots, \ell_2$. Let $i \leq \ell_1$. The shuffle of T' into T at i is denoted by $T' \xrightarrow{i} T$ and defined by the following process.

- For each instance of $j = 1, \dots, i$ in T , put j in the same column of $T' \xrightarrow{i} T$ as in T .
- For each instance of $j = 1, \dots, \ell_2$ in T' , put $j + i$ in the same column of $T' \xrightarrow{i} T$ as in T' .
- For each instance of $j = i + 1, \dots, \ell_1$ in T , put $j + \ell_2$ in the same column of $T' \xrightarrow{i} T$ as in T .

Figure 16 compares the shuffling of tableaux to the join of webs. The entries of T' that have been shuffled into T appear in bold.




FIGURE 16. Joining two webs.

In the case where T has content $s = s_1 \cdots s_{\ell_1}$ and T' has content $t = t_1 \cdots t_{\ell_2}$, the web $T' \xrightarrow{i} T$ will be semistandard with content $s_1 \cdots s_i t_1 \cdots t_{\ell_2} s_{i+1} \cdots s_{\ell_1}$. The following theorem, illustrated in Figure 16, is a straightforward generalization of Tymoczko's result [20].

Theorem 3. *Shuffling of semistandard tableaux corresponds to the join of webs. Specifically, shuffling T' into T at i corresponds to inserting the web $w_{T'}$ into the web w_T between vertices i and $i + 1$ of T .*

REFERENCES

- [1] Jonathan Brundan and Victor Ostrik. Cohomology of Spaltenstein varieties. *Transform. Groups*, 16(3):619–648, 2011. arXiv:1012.3426.
- [2] Bruce Fontaine. Generating basis webs for sl_n . 2011. arXiv:1108.4616v1.
- [3] Bruce Fontaine, Joel Kamnitzer, and Greg Kuperberg. Buildings, spiders, and geometric Satake. 2011. arXiv:1103.3519.
- [4] Francis Y. C. Fung. On the topology of components of some Springer fibers and their relation to Kazhdan-Lusztig theory. *Adv. Math.*, 178(2):244–276, 2003. arXiv:0204224.
- [5] Matthew Housley, Heather M. Russell, and Julianna Tymoczko. The Khovanov-Kuperberg bijection and generalized tau invariants. forthcoming.
- [6] Mikhail Khovanov. Crossingless matchings and the cohomology of (n, n) Springer varieties. *Commun. Contemp. Math.*, 6(4):561–577, 2004. arXiv:0202110.
- [7] Mikhail Khovanov. $sl(3)$ link homology. *Algebr. Geom. Topol.*, 4:1045–1081, 2004. arXiv:0304375.
- [8] Mikhail Khovanov and Greg Kuperberg. Web bases for $sl(3)$ are not dual canonical. *Pacific J. Math.*, 188(1):129–153, 1999. arXiv:9712046.
- [9] Dongseok Kim. *Graphical calculus on representations of quantum Lie algebras*. ProQuest LLC, Ann Arbor, MI, 2003. Thesis (Ph.D.)—University of California, Davis.
- [10] Greg Kuperberg. Spiders for rank 2 Lie algebras. *Comm. Math. Phys.*, 180(1):109–151, 1996. arXiv:9712003.
- [11] Scott Morrison. A diagrammatic category for the representation theory of $U_q(\mathfrak{sl}_n)$. 2007. arXiv:0704.1503.
- [12] Hitoshi Murakami, Tomotada Ohtsuki, and Shuji Yamada. Homfly polynomial via an invariant of colored plane graphs. *Enseign. Math. (2)*, 44(3-4):325–360, 1998.
- [13] T. Kyle Petersen, Pavlo Pylyavskyy, and Brendon Rhoades. Promotion and cyclic sieving via webs. *J. Algebraic Combin.*, 30(1):19–41, 2009. arXiv:0804.3375.
- [14] Heather M. Russell. The Bar-Natan skein module of the solid torus and the homology of (n, n) Springer varieties. *Geom. Dedicata*, 142:71–89, 2009. arXiv:0805.0286.

- [15] Heather M. Russell. A topological construction for all two-row Springer varieties. *Pacific J. Math*, 253(1):221–255, 2012. arXiv:1007.0611.
- [16] Heather M. Russell and Julianna S. Tymoczko. Springer representations on the Khovanov Springer varieties. *Math. Proc. Cambridge Philos. Soc.*, 151(1):59–81, 2011. arXiv:0811.0650.
- [17] Bruce E. Sagan. *The symmetric group*, volume 203 of *Graduate Texts in Mathematics*. Springer-Verlag, New York, second edition, 2001. Representations, combinatorial algorithms, and symmetric functions.
- [18] Gisa Schäfer. A graphical calculus for 2-block Spaltenstein varieties. 2012. arXiv:1202.6247.
- [19] Catharine Stroppel and Ben Webster. 2-block Springer fibers: convolution algebras and coherent sheaves, 2008. arXiv:0802.1943.
- [20] Julianna Tymoczko. A simple bijection between standard $3 \times n$ tableaux and irreducible webs for sl_3 . 2010. arXiv:1005.4724.
- [21] David A. Vogan, Jr. A generalized τ -invariant for the primitive spectrum of a semisimple Lie algebra. *Math. Ann.*, 242(3):209–224, 1979.

DEPARTMENT OF MATHEMATICS, UNIVERSITY OF SOUTHERN CALIFORNIA
E-mail address: `heathemr@usc.edu`